




Scotchint™ Sun Control Window Film

RE70NEARL



For Color and Appearance on our Sample Cards,
No UV Protection or Abrasion Coating has been Applied

Inside View

Product Benefits

- Reduces air conditioning costs.
- Reduces glare and eye discomfort.
- Furniture and fabrics have a longer acceptable life.
- Increase personal safety from flying glass.

Performance Data

With RE70NEARL	1/4" Single Clear	1/4" Single Tinted	Insulated Clear	Insulated Tinted
Solar Heat Reduction	19%	12%	10%	5%
Heat Loss Reduction	0%	0%	0%	0%
Glare Reduction	25%	18%	24%	20%
UV Blocked	98%	99%	98%	99%
Total Solar Energy Rejected	34%	47%	37%	55%

Technical Data

Glass Type	Applied Product	Shading Coefficient	Visible Light		Emissivity	"U" Value
			Reflected	Transmitted		
1/4" Single Clear	None	0.94	8%	88%	0.84	1.06
	RE70NEARL	0.76	9%	66%	0.87	1.08
1/4" Single Tinted	None	0.69	5%	50%	0.84	1.06
	RE70NEARL	0.61	6%	41%	0.87	1.08
Insulated Clear	None	0.81	14%	78%	0.84	0.50
	RE70NEARL	0.73	15%	59%	0.87	0.50
Insulated Tinted	None	0.55	8%	45%	0.84	0.50
	RE70NEARL	0.52	8%	36%	0.87	0.50

3M Consumer Safety and Light Management

3M Center, Building 223-2S-24
St. Paul, MN 55144-1000
Phone: 800-480-1704
Fax: 651-736-0611
www.3M.com/windowfilm

Printed in U.S.A.

© 3M 2003 70-0703-7194-6 (43.9)ii